

Complexity of some orbit equivalence relations induced by homeomorphism groups

VEJNAR Benjamin

Faculty of Mathematics and Physics, Charles University, Czech Republic
E-mail vejnar@karlin.mff.cuni.cz

Orbit equivalence relations (ERs) induced by continuous actions of Polish groups on Polish spaces provides an important ingredient in Invariant descriptive set theory. In this context, ERs on Polish spaces are compared by Borel reductions and classification of countable structures up to isomorphism present an important example of a complexity degree.

In this talk, we study some of the orbit ERs which are induced by natural actions of the homeomorphism groups. We present results about the complexity of conjugacy ERs of dynamical systems on the interval or on the Cantor set [K, BV]. Additionally, we sketch the proof that interval dynamical systems can be classified by countable structures. We also present some results about the complexity of homeomorphism ERs on some classes of (low-dimensional) continua [DV, KV, Z].

References

- [BV] Bruin, H., Vejnar, B.: *Classification of one dimensional dynamical systems by countable structures*. arXiv e-prints (2020).
- [DV] Dudák, J., Vejnar, B.: *The complexity of homeomorphism relations on some classes of compacta with bounded topological dimension*. arXiv e-prints (2020).
- [K] Kaya, B.: *The complexity of topological conjugacy of pointed Cantor minimal systems*. Arch. Math. Logic 56 (2017), 215–235.
- [KV] Krupski, P., Vejnar, B.: *The complexity of homeomorphism relations on some classes of compacta with bounded topological dimension*. J. Symbolic Logic (2020) 733–748.
- [Z] Zielinski, J.: *The complexity of the homeomorphism relation between compact metric spaces*. Adv. Math. 291 (2016), 635–645.